

EACH WEEK, THERE ARE NUMEROUS LASER ILLUMINATIONS OF AIRCRAFT AROUND THE

WORLD. The potential negative effects of laser beams striking the human eye and interfering with flight operations are well documented. While there has yet to be an aviation accident attributable to a laser illumination, several cases of pilot injury have been reported. In view of the worldwide proliferation of hand-held lasers, pilots should anticipate an increase in illuminations of aircraft, which may interfere with the flight operations and possibly result in injuries to flight crew.

The Air Line Pilots Association, Int,I (ALPA), working in conjunction with the Federal Aviation Administration (FAA) and the Federal Air Marshal Service (FAMS), is currently working to educate the public on the dangers presented to aviation by unauthorized laser illuminations and to support and encourage law enforcement officials in the investigation and prosecution of such occurrences. As part of that effort, ALPA's National Security Committee, working in conjunction with the Executive Air Safety Committee, has developed recommended crew practices to be used when confronted with a laser illumination in the airport vicinity during critical phases of flight. The intent of these protocols is to ensure that pilots are properly prepared to respond to an unauthorized laser illumination event.

General Information Regarding Hand-Held Laser Illuminations

ost aircraft laser illuminations have occurred during critical phases of flight (i.e., approach, landing, and takeoff) in the hours of darkness. generally in the evening. The impact of a laser illumination is more pronounced when the darkadapted human eye is significantly more sensitive to exposure to light sources. Laser illuminations can interfere with pilot vision, potentially impacting the safety of flight.


Hand-held lasers display a variety of colors, most commonly red and green. Green lasers pose the greatest risk to the human eye. Because it is difficult to aim and maintain a hand-held laser beam directly on a moving aircraft, pilot exposure will likely be sporadic as opposed to continuous and direct. Most laser illuminations will be brief and appear as flashes. Consequently, the chances of permanent injury to the eye resulting from an aircraft illumination are very slim.

Laser illumination of the flight deck frequently produces a "startle response" in pilots that can lead to distraction and disruption of attention to aircraft control. In worst-case scenarios, laser illumination can lead to temporary disorientation or temporary incapacitation, e.g., flash-blindness.

It is recommended that all pilots

review FAA Advisory Circular 70-2 or Transport Canada Aeronautical Information Circular (AIC) 14/09. Both circulars provide guidance on air crew laser mitigation procedures and reporting of unauthorized laser illumination events. Both documents are available on the members-only site at www.alpa.org. On the top menu bar, select Committees then click on National Security Committee; select Threats at the top of the page, and click on the Lasers link.

If you are prepared mentally and procedurally to respond to a laser illumination, you will successfully protect yourself and your fellow crewmembers, and safely and efficiently manage the response to the event. ALPA's National Security Committee is committed to eliminating the threat that laser attacks pose against aviation.





Recommended rew Action

When struck by a laser on approach, do not continue to look into the beam. Shield your eyes and *go heads-down immediately*. This action will protect your eyes while the laser light is illuminating the cockpit.

Consider executing a missed approach. As with any event that is the catalyst for a go-around (e.g., low weather, birds, aircraft on the runway), a go-around may be your most prudent course of action in responding to a laser illumination

Do not rub your eyes.

Consistent with flight manual restrictions, use cockpit automation to the fullest extent

Maintain control of aircraft, monitoring configuration, altitude, and airspeed to maintain or re-establish desired flight profile.

Turn instrumentation and panel background lighting up.

Communicate with other flightdeck crewmembers and assess condition. In the event of an injury, declare an emergency and request priority handling, if necessary.

Transfer control of aircraft to other pilot, if necessary.

When time permits, expeditiously advise ATC of the laser event. Provide the most accurate description possible of the location of the laser source, beam direction, and color and length of exposure (flash or intentional tracking).

While in the arrival area, if you are notified that a laser event has been reported and remains unresolved, request a different runway or ask for holding until the area has been secured and the threat has ceased.

Consider need for diverting if laser threat

Follow all company protocols relating to reporting of laser illuminations in a safe and timely fashion, to include notification of local company officials.

Cooperate with law enforcement officials conducting follow-up investigation of the event.

As soon as possible after landing, get an eye examination at the nearest emergency room (and/ or with an ophthalmologist) to determine if you have suffered any eye damage. All eye injuries should be reported to the ALPA Aeromedical Office (303-341-4435) as soon as possible. Additional information

and treatment referrals, as appropriate, are available from that office.

When practicable, write a report on the event via directions contained in either AC 70-2 or AIC 14/09, as appropriate, and forward it to the FAA or TC.



For further information on this important subject, please contact ALPA's

Engineering & Air Safety Department at 800-424-2470.



Captain Robert Powers (ALA)

Chairman, National Security Committee Air Line Pilots Association. International



Air Line Pilots Association. International

535 Herndon Parkway P.O. Box 1169 Herndon, VA 20172-1169 www.alpa.org